

PAPERS ON PolyCAT Atm

- C1) Alpert, J. Chromatogr. 266 (1983) 23.
- C2) Ou et al., J. Chromatogr. 266 (1983) 197.
- C3) Parente and Wetlaufer, J. Chromatogr. 288 (1984) 389.
- C4) Aswad, J. Biol. Chem. 259 (1984) 10714.
- C5) Parente and Wetlaufer, J. Chromatogr. 314 (1984) 337.
- C6) Ellis et al., Clin. Chem. 30 (1984) 1746.
- C7) Rogers et al., Am. J. Clin. Pathol. 84 (1985) 671.
- C8) Ou and Carmona, Clin. Chem. 31 (1985) 945.
- C9) Parente and Wetlaufer, J. Chromatogr. 355 (1986) 29.
- C10) Wessels et al., Clin. Chem. 32 (1986) 903.
- C11) Turpeinen, Clin. Chem. 32 (1986) 999.
- C12) Langer et al., Anal. Biochem. 166 (1987) 212.
- C13) Spiker et al., J. Chromatogr. 405 (1987) 327.
- C14) Bisse and Wieland, J. Chromatogr. 434 (1988) 95.
- C15) Kavanaugh et al., J. Biol. Chem. 264 (1989) 11009.
- C16) Marchese et al., J. Chromatogr. 504 (1990) 351.
- C17) Canova-Davis et al., J. Chromatogr. 508 (1990) 81.
- C18) Ebert and Spryn, Bioconjugate Chem. 1 (1990) 331.
- C19) Osheroff et al., J. Biol. Chem. 265 (1990) 9396.

SUBJECT

- Description of **PolyCAT A**.
- Analysis of **hemoglobin** variants.
- Effect of urea on cation-ex. of lysozyme.
- Cation-ex. of **ACTH**.
- Effect of heat & urea on cation-ex. of chymotrypsinogen.
- Assay of **Hemoglobin A1c**.
- Analysis of **hemoglobinopathies**.
- Assay of **Hemoglobin A1c** (abstract only).
- Isocratic vs. gradient elution of proteins.
- Diagnosis of **Hemoglobin S/Lepore**.
- Assay of **Hemoglobin A2**.
- Purif. of **N-Glycosidase F**.
- Fractionation of **HMG proteins**.
- Assay of **Hemoglobins F and A1c**.
- Purif of ATP-labeled **hemoglobin**.
- Separation of three forms of **rh-Interleukin-2**.
- Characterization of synthetic human **relaxin**.
- Purif. of a Ribosome-Inactivating Protein from barley.
- Prepn. of ³²P-labeled human **relaxin**.

- C20) Kutlar et al., Hum. Genet. **85** (1990) 106. Assay and purif. of **Hemoglobin F**.
- C21) Rao et al., BioPharm **4** (#10) (1991) 38. Separation of post-translational variants of **monoclonal antibodies**.
- C22) Huisman, Sangre **36** (1991) 144. HPLC of abnormal **hemoglobins**..
- C23) Lee et al., Diabetes Res. Clin. Pract. **16** (1992) 53. HPLC of glycated proteins vs. home blood glucose testing.
- C24) Holmes et al., Science **256** (1992) 1205. Isoln. of **heregulin** (an oncogene product activator).
- C25) Burton et al., J. Neurochem. **59** (1992) 1937. Analysis of various forms of **rNerve Growth Factor**.
- C26) Fu et al., J. Biol. Chem. **266** (1991) 14562. Affinity-style isoln. of an **L-Isoaspartyl Protein Carboxyl Methyltransferase**.
- C27) van der Dijs et al., Clin. Chem. **38** (1992) 1864. Screening cord blood for hemoglobinopathies and thalassemia.
- C28) Ou and Rognerud, Clin. Chem. **39** (1993) 820. Rapid screening for **hemoglobin variants**.
- C29) Kutlar and Huisman, J. Chromatogr. **620** (1993) 183. Micro HPLC method for determining the β chain composition of **hemoglobin F**.
- C30) Hazelett et al., Alcohol. Clin. Exp. Res. **17** (1993) 1107. Screening **Hemoglobin-acetaldehyde** as a marker for **alcoholism**.
- C31) Gibbs et al., Proc. Natl. Acad. Sci. **88** (1991) 4001. Purif. of **single-chain catalytic antibody**.
- C32) Pantoliano et al., Biochemistry **30** (1991) 10117. Purif. of **single-chain anti-fluorescein antibody**.
- C33) Milenic et al., Cancer Res. **51** (1991) 6363. Purif. of **single-chain anti-carcinoma antibody**.
- C34) Stewart et al., Biochemistry **33** (1994) 1994. Purif. of **catalytic antibody**.
- C35) Richard et al., Amer. Clin. Lab. (1/1994) 26. Assay of **Hemoglobin A1c**.
- C36) Lu et al., Chromosoma **103** (1994) 111. Separation of **Histone H1 phosphorylation variants** from Tetrahymena.
- C37) Itälä et al., Anal. Biochem. **224** (1995) 323. **Hemoglobin-acetaldehyde** analysis.
- C38) Fiordalisi et al., Protein Exp. Purif. **3** (1992) 282. Purif. of recombinant β -**Bungarotoxin**.
- C39) Pearson et al., Hemoglobin **18** (1994) 401. HPLC of **rat hemoglobins**.

- C40) Thomas et al., Science 241 (1988) 226. Analysis of prohormone versions of β -endorphin and β -lipotropin.
- C41) Thorne et al., J. Biol. Chem. 264 (1989) 3545. Further study of prohormone processing.
- C42) Thomas et al., J. Biol. Chem. 265 (1990) 10821. More prohormone processing.
- C43) Thomas et al., Proc. Natl. Acad. Sci. 88 (1991) 5297. Still more prohormone processing.
- C44) Pic et al., Ann. Biol. Clin. 52 (1994) 129. Assay of **Hemoglobin F, Fac, & variants..**
- C45) Jones, Meth. Enzymol. 231 (1994) 322. Chemically-modified **hemoglobins**.
- C46) Turpeinen et al., Clin. Chem. 41 (1995) 191. Assay of **Hemoglobin A1c**; comparison of PolyCAT A with Diamat and affinity methods.
- C47) Turpeinen et al., Clin. Chem. 41 (1995) 532. Assay of **Hemoglobin β -chain variants**: Broussais & Cemenelum.
- C48) Bissé et al., Clin. Chem. 41 (1995) 658. Elevation of **Hemoglobin A1d** in uremia.
- C49) Cuevas et al., Clin. Chem. 41 (1995) S98 (abstract 292) Retention of **Hemoglobin variants** relative to the Hb A peak.
- C50) Ou & Rognerud, ibid, S100 (abstract 300). Assay of **Hemoglobins** Chicago & South Florida.
- C51) Ou & Rognerud, Clin. Chem. 42 (1996) 774. Assay of **Hemoglobin** Chicago/S trait and Hb Chicago/Sickle Cell disease.
- C52) Shahrokh et al., Pharm. Res. 11 (1994) 936. **Basic Fibroblast Growth Factor**: Isoln. of an Asp¹⁵ \rightarrow succinimide¹⁵ variant and misc. cleavage variants.
- C53) Bissé et al., J. Chromatogr. B 687 (1996) 349. Elevation of **Hemoglobins** A1d3a and A1d3b in uremia and diabetes, resp.
- C54) Vunnam et al., J. Peptide Res. 49 (1997) 59. Purif. of synthetic cecropin and Pro-Arg-rich peptides from pig intestine.
- C55) Chen et al., Alcohol Clin. Exp. Res. 19 (1995) 939. New **Hemoglobin-acetaldehyde** variants.
- C56) Wilson et al., J. Lab. Clin. Med. 108 (1986) 138. Analysis of **hemoglobins** S, C, and O Arab in cord blood samples.
- C57) Fishman et al., J. Chromatogr. 532 (1990) 55. Separation of **pyridoxylated hemoglobins**.
- C58) Galacteros et al., Blood 78 (1991) 1121. Adult **hemoglobin** conc. vs. gestational age in newborns.

- C59) Roa et al., Ann. Clin. Lab. Sci. 23 (1993) 433. **Hemoglobin variant** detection in dried blood specimens.
- C60) Roa et al., Ann. Clin. Lab. Sci. 25 (1995) 228. Reference ranges for **hemoglobin variants** in African Americans.
- C61) Garibay-Tupas et al., J. Endocrinol. 145 (1995) 441. Prepn. of ³²P-labeled human **relaxin**.
- C62) Huber et al., Prenat. Diagn. 16 (1996) 1011. Estimating **hemoglobin F** from fetal cells isolated from maternal blood.
- C63) Leonova et al., Am. J. Hematol. 53 (1996) 59. Variability in **hemoglobin F** level of normal adults.
- C64) John et al., Clin. Chem. 43 (1997) 968. Evaluation of a **hemoglobin analyzer**; PolyCAT A as the gold standard.
- C65) Lindner et al., J. Chromatogr. A. 782 (1997) 55. Purif. of phosphorylated **histones** by hydrophilic interaction chromatography.
- C66) McDonald et al., Protein Exp. Purif. 8 (1996) 97. QC analysis for **deamidated variant** of a recombinant **fusion protein** of **basic fibroblast growth factor-saporin** mitotoxin.
- C67) Frantzen, J. Chromatogr. B 699 (1997) 269. **Modified hemoglobins**: A review of analytical methods.
- C68) Mario et al., Clin. Chem. 43 (1997) 2137. Comparison of HPLC and IEF for **hemoglobin variant** analysis.
- C69) Pearson et al., Hemoglobin 22 (1998) 245. Reversing the **Hb F to Hb A switch** in rats.
- C70) Hazelett et al., Alcohol Clin. Exp. Res. 22 (1998) 1813. Comparison of **Hemoglobin-acetaldehyde** with CDT and other alcoholism markers.
- C71) Sanchez et al., Thrombosis Res. 87 (1997) 289. Purif. of chimeric **fibrolase** attached to an RGD-like peptide.
- C72) Lindner et al., J. Cancer Res. Clin. Oncol. 125 (1999) 182. Deamidation and N-terminal modification of **H1 histones** as a function of age.
- C73) Levandoski et al., J. Neurochem. 74 (2000) 1279. Purification of recombinant ? **-bungarotoxin** expressed in *Pichia pastoris*.
- C74) Parsell et al., J. Biol. Chem. 271 (1996) 27936. Separation of ³²P-phosphorylated from native **relaxin**.

- C75) Sweet et al., J. Biol. Chem. 272 (1997) 916. Isoln. of phosphorylated Lys-C fragments of linker histones from *Tetrahymena*.
- C76) Al-Abed et al., Proc. Natl. Acad. Sci. 96 (1999) 2385. Separation of rat hemoglobins with adducts of glucose, acetaldehyde, and advanced glycation endproducts.
- C77) Paleari et al., Clin. Chem. 45 (1999) 21. HPLC of Hemoglobin J Sardegna, with a post-translational deamidation.
- C78) Campbell et al., Cytometry 35 (1999) 242. HPLC of Hemoglobin F to correlate results from flow cytometry of erythrocytes.
- C79) Bohmer et al., Blood 95 (2000) 2967. Stimulation of Hb F production by **TGF- β** ; Hbs F and A measured by HPLC and flow cytometry.
- C80) Roberts et al., Clin. Chem. 46 (2000) 569. Glycohemoglobin measurements with Hb variants.
- C81) Bissé et al., J. Biol. Chem. 275 (2000) 21380. Detection of a Thr \rightarrow Ala replacement in Hb Saale.
- C82) Bates et al., J. Biol. Chem. 275 (2000) 6234. Purif. of a **Fe-S cluster** transcription factor protein, **FNR**, from *E. coli*.
- C83) Theodorakis et al., Biochim. Biophys. Acta 1252 (1995) 114. Cytochrome C derivs. with thiopropyl- groups at lys-; sepn. of **positional variants**.
- C84) Bates et al., J. Biol. Chem. 275 (2000) 6234. Purif. of *E. coli* transcription factor FNR mutants.
- C85) Xu et al., J. Biol. Chem. 275 (2000) 17086. Purif. of restriction endonuclease *Hpy*188I from *Helicobacter pylori*.
- C86) Zhang et al., J. Chromatogr. B. 759 (2001) 1. Chromatography vs. ESI-MS in glycated hemoglobin measurements.
- C87) Nakanishi et al., Clin. Chem. 46 (2000) 1689. Chromatography vs. ESI-MS: Effect of hemoglobin variants on measurement of glycation.
- C88) Balhorn et al., Environ. Health Perspect. 62 (1985) 73. Isoln. of albumin and hemoglobin from blood for measurement of mutagen adducts.
- C89) Wimley and White, Biochemistry 39 (2000) 4432. Designer transmembrane peptide purified with an acetic acid gradient.
- C90) Ashish and Wimley, Biochemistry 40 (2001) 13753. Acetic acid gradient used to purify peptides that interact with membrane proteins.
- C91) Ou and Rognerud, Clin. Chim. Acta 313 (2001) 187. Diagnosis of hemoglobinopathies: HPLC is better than electrophoresis.
- C92) Zhang et al., J. Chromatogr. B. 759 (2001) 1. Characterization of glycated hemoglobin in diabetics using CEX and ESI-MS.
- C93) Kiseleva et al., Analyst 126 (2001) 2119. **Ion chromatography**: Simultaneous analysis of anions and cations on a PolyCAT A column.

- C94) Wojda et al., Blood 99 (2002) 3005. Study of Hb F and A production *in vitro* by differentiating erythroid cells.
- C95) Ghosh et al., Nature Immunol. 3 (2002) 583. Acetic acid gradient for purification of **defensin** HD-5 from Paneth cells.
- C96) Nakahishi et al., Clin. Chim. Acta 323 (2002) 89. Assessment of hemoglobin variants' effect on routine Hb A1c measurements; CEX and ES-MS.
- C97) Lamberty et al., J. Biol. Chem. 274 (1999) 9320. Purif. of a recombinant **defensin** from tobacco budworm.
- C98) Al-Abed et al., Mol. Med. 7 (2001) 619. Measurement of Hemoglobin A1d3, a **glutathione adduct** form elevated in diabetics.
- C99) Cokic et al., J. Clin. Invest. 111 (2003) 231. Induction of Hemoglobin F by hydroxyurea via NO activation of guanylyl cyclase.
- C100) Kang & Frey, J. Chromatogr. A 991 (2003) 117. Chromatofocusing of proteins.
- C101) Ho et al., Exp. Hematol. 31 (2003) 586. Induction of Hemoglobin F with hydroxyurea by inhibition of ribonucleotide reductase.
- C102) Bhanu et al., Blood (online ed. 10/30/03). Signaling factors that increase Hemoglobin F levels.
- C103) Mohanty et al., J. Biol. Chem. 278 (2003) 40953. Removal of DTT & other contaminants from synth. e-colicin peptide with a PolyCAT A SPE cartridge with elution with acetic acid.
- C104) Wittamer et al., J. Exp. Med. 198 (2003) 977. Purif. of chemerin, a chemoattractant protein, via RPC-WCX-RPC.

PAPERS ON PolyHYDROXYETHYL Aspartamide[™],
SEC, AND HYDROPHILIC-INTERACTION
CHROMATOGRAPHY (HILIC)

SUBJECT

- H1) Alpert, J. Chromatogr. 499 (1990) 177. Introduction of HILIC for HPLC of polar compounds.
- H2) Zhu et al., J. Chromatogr. 548 (1991) 13. Peptide HILIC on PolyHYDROXY-ETHYL A and PolySULFOETHYL A (same ref. as S16).
- H3) Fainsilber et al., Eur. J. Biochem. 202 (1991) 589. **Size-Exclusion HPLC** of a **conotoxin** peptide.
- H4) Andrews & Alpert, Poster #110, 10th ISPPP (10/90) **Size-Exclusion HPLC** of small solutes.
- H5) Pike et al., Proc. Natl. Acad. Sci. 88 (1991) 11081. Lactic acid stimulates B-cell growth.
- H6) Przysiecki et al., Protein Expression Purif. 3 (1992) 185. HILIC, SEC, and SCX of recombinant **antistasin** with a preproleader sequence (same ref. as S18).
- H7) Swiderek et al., Poster #M93, Protein Society Symp. (7/92). Isolation of **carcinoembryonic antigen glycopeptides** by HILIC, with mass spec. sequencing.
- H8) Boutin et al., J. Chromatogr. 583 (1992) 137. HILIC of **phosphorylated peptides** and **tyrosine kinase** reaction mixtures.
- H9) Fong et al., Plant Physiol. 99 (1992) 548. SEC of gymnosperm Ser-Hyp4 motif protein (same ref. as S26).
- H10) Hogrefe et al., Nucl. Acids Res. 21 (1993) 2031. HILIC of **methylphosphonate oligonucleotides**.
- H11) Bickel et al., Proc. Natl. Acad. Sci. 90 (1993) 2618. Purification of **biotinylated VIP** analog.
- H12) Horst et al., EMBO Journal 12 (1993) 3035. HILIC of mitochondria proteins from **SDS-PAGE** gel bands.
- H13) Clauser and Burlingame, Poster M286, Protein Society Symp. (7/93). **Removal of SDS** from proteins via capillary HILIC.
- H14) Boutin et al., Drug Metab. Disp. 21 (1993) 1157. HILIC of **glucuronides** of diosmetin.
- H15) Barret et al., Chem.-Biol. Interact. 86 (1993) 17. Assay of **ATPase** activity by HILIC.
- H16) Jenö et al. Anal. Biochem. 215 (1993) 292. Removal of **SDS and salts** from **electroeluted** proteins.
- H17) Soltysik et al., Ann. NY Acad. Sci. 690 (1993) 392. Purification of **saponins** by HILIC.

- H18) Alpert et al., J. Chromatogr. A 676 (1994) 191. **PolyGLYCOPLEX** for HILIC of **complex carbohydrates**.
- H19) Swiderek et al., Poster 268-M, Protein Society Symp. (7/94). HILIC for removal of SDS, Triton X-100, and Nonidet P40 from peptides on-line for LC-MS.
- H20) Alpert et al., Poster 269-M, Protein Society Symp. (7/94). HILIC of intact proteins.
- H21) Harwig et al., Meth. Enzymol. 236 (1994) 160. Purif. by HILIC of **defensins**.
- H22) Ernould et al., Int. J. Peptide Protein Res. 43 (1994) 496. HILIC of **phosphorylated peptides** from **tyrosine kinase** reactions.
- H23) Taylor et al., J. Am. Chem. Soc. 116 (1994) 10803. Isoln. of **dihydroxyproline** from mussel adhesive protein.
- H24) Silvestre et al., J. Agric. Food Chem. 42 (1994) 2778. Fractionation of **casein hydrolyzates** by SEC.
- H25) Silvestre et al., J. Agric. Food Chem. 42 (1994) 2783. Characterization by SEC of **casein hydrolyzates**.
- H26) Shushan, Perkin-Elmer "Views", Fall 1994, 16-17. SEC desalting of proteins for ESI-MS.
- H27) Furuya et al., Proc. Natl. Acad. Sci. 92 (1995) 12323. Isoln. by RPC/HILIC of a diuretic hormone polypeptide from mealworm (*T. molitor*).
- H28) Kieliszewski et al., J. Biol. Chem. 270 (1996) 2541. HILIC of hydroxyproline-rich glycopeptides from Douglas Fir, with MS to determine sites of arabinoside attachment.
- H29) Sarg et al., Chromatographie 1/95 (1995) 50. HILIC of **histones** (using PolyCAT A).
- H30) Oyler et al., J. Chromatogr. A 724 (1996) 378. HILIC of diastereomers of atosiban.
- H31) Pauly et al., Carbohydr. Res. 282 (1996) 1. HILIC of nitrobenzyl- derivs. of oligo-saccharides on PolyGLYCOPLEX.
- H32) Horst et al., Meth. Enzymol. 260 (1995) 232. Isoln. of yeast mitochondrial membrane proteins from 2-D gels by HILIC.
- H33) Lindner et al., J. Chromatogr. A 743 (1996) 137. HILIC of acetylated **histones** (using PolyCAT A).
- H34) Nelson et al., Exp. Cell Res. 229 (1996) 20. Isoln. of a **hepatic growth stimulator** by SEC; it's glycerophosphorylethanolamine.

- H35) Lindner *et al.*, J. Chromatogr. A **782** (1997) 55. HILIC of phosphorylated **histones** (using PolyCAT A) [same ref. as C64].
- H36) Swiderek *et al.*, ABRF News **8(4)** (1997) 17. Analysis of protein and peptide samples that contain detergents.
- H37) Lane *et al.*, J. Cell Biol. **125** (1994) 929. Analysis of the peptides GHK and KGHK in digests of SPARC protein.
- H38) Swiderek *et al.*, Meth. Enzymol. **271** (1996) 68. Separation of glycopeptides from digest of carcinoembryonic antigen by RPC-HILIC.
- H39) Mant *et al.*, Meth. Enzymol. **289** (1997) 426. CEX-HILIC of peptides (using PolySULF. A).
- H40) Schmerr *et al.*, J. Chromatogr. A **802** (1998) 125. Purif. and analysis of the **scrapie prion** protein (using PolyWAX LP) [same ref. as W5].
- H41) Lindner *et al.*, J. Biol. Chem. **273** (1998) 13324. HILIC of **deamidation** and acetylation variants of **H1 histone** (using PolyCAT A).
- H42) Strege, Anal. Chem. **70** (1998) 2439. HILIC-ES-MS of small polar compounds in **drug discovery screens**.
- H43) Zhang and Wang, J. Chromatogr. B **712** (1998) 73. HILIC of coeluting **glycopeptides** from an RPC map of a tryptic digest of recombinant γ -interferon from a CHO cell culture.
- H44) Faull *et al.*, Neuropeptides **32** (1998) 339. RPC-HILIC-CEX isolation of γ -lipotropin and γ -endorphin from rat pituitary.
- H45) Mant *et al.*, J. Chromatogr. A **816** (1998) 65. CEX-HILIC detects substitutions on the polar face of amphipathic α -helical peptides; RPC, the nonpolar face (PolySULF. A used).
- H46) Mant *et al.*, J. Chromatogr. A **816** (1998) 79. CEX-HILIC vs. RPC for separation of variants of cyclic peptides (Gramicidin S analogs) (PolySULF. A used).
- H47) Alpert, Size Exclusion HPLC of Small Solutes in Column Handbook for Size Exclusion Chromatography (C.-S. Wu, ed.), Academic Press, 1999. Explains the principles and gives applications.
- H48) Strege, Am. Pharmaceut. Rev. **2** (1999) 53. HILIC-MS combination for drug discovery.
- H49) Litowski *et al.*, J. Pept. Res. **54** (1999) 1. HILIC-CEX can resolve peptides that vary in position of Ser- acetylation (PolySULF. A used).
- H50) Croes *et al.*, Poster 134, 47th ASMS Conference (June 1999; Dallas) HILIC of underivatized amino acids in seeds with MS/MS detection; run time of 6 minutes.
- H51) Dahiyat and Mayo, Proc. Natl. Acad. Sci. **94** 10172. SEC of designed proteins @ packing interactions.

- H52) Serrano *et al.*, *J. Biol. Chem.* 270 (1995) 27244. HILIC with PolyGLYCOPLEX of the carbohydrates from a GPI anchor of *Trypanosoma cruzi*.
- H53) Ke *et al.*, *J. Biol. Chem.* 272 (1997) 16603. HILIC of small, polar peptide products from **t-PA** and **urokinase** substrate cleavage.
- H54) Ke *et al.*, *J. Biol. Chem.* 272 (1997) 20456. HILIC of small, polar peptide products from a high-affinity **urokinase** substrate library.
- H55) Kisselev *et al.*, *J. Biol. Chem.* 273 (1998) 1982. SEC of peptides generated by degradation of model proteins by **archaeal proteasomes**.
- H56) Kisselev *et al.*, *J. Biol. Chem.* 274 (1999) 3363. SEC of peptides generated by degradation of model proteins by **mammalian proteasomes**.
- H57) Dallet *et al.*, *J. Chromatogr. B*, 742 (2000) 447. HILIC of urea, allantoin, and lysine pyroglutamate in cosmetics.
- H58) Strege *et al.*, *Anal. Chem.* 72 (2000) 4629. HILIC of small molecules with coupled anion- and cation-exchange columns.
- H59) Mizzen *et al.*, *J. Chromatogr. B*, 744 (2000) 33. Sepn. of **Histone H1** variants by HILIC on PolyCAT A.
- H60) Hindi-Tamelihecht *et al.*, *J. Agric. Food Chem.* 45 (1997) 4758. SEC analysis of peptide size in chickpea protein hydrolyzates.
- H61) Dahiyat *et al.*, *Protein Sci.* 6 (1997) 1333. SEC of engineered helical proteins: distinguishing dimers from tetramers.
- H62) Rabearimony *et al.*, in *Proc. 9th Intl. Symp. Cyclodextrins*, pg. 19 (1999); Kluwer Academic Publishers; Dordrecht, The Netherlands. HILIC of hydroxypropyl cyclodextrins.
- H63) Sarg *et al.*, *Arch. Biochem. Biophys.* 372 (1999) 333. HILIC of avian **Histone H5**; degree of N-term. acetylation vs. age.
- H64) Wang *et al.*, Poster, ASMS 1999. HILIC of **NAD** in cell extracts following use of HILIC SPE cartridge to get rid of perchloric acid.
- H65) Doucette *et al.*, *Toxicon* 38 (2000) 1465. Purif. of synthetic **11-[³H]-tetrodotoxin**.
- H66) McGrane *et al.*, EuroResidue IV (May 2000), Pg. 765 (van Ginkel & Ruiter, eds.), Bilthoven, The Netherlands. HILIC-MS for analysis of aminoglycoside antibiotic residues.
- H67) Scrofani *et al.*, *Protein Sci.* 9 (2000) 2018. Purif. of vascular endothelial growth factor-B.
- H68) Köhler *et al.*, *Molec. Cell* 7 (2001) 1143. SEC of small peptides in **proteasome** studies: their fluorescamine derivs. elute more ideally.
- H69) Troyer *et al.*, *J. Chromatogr. A*, 919 (2001) 299. HILIC of intact **glucosinolates** from broccoli.
- H70) Chen *et al.*, *Eur. J. Biochem.* 251 (1998) 691. HILIC and RPC of neutral N-glycans in rat brain tissue.

- H71) Zal et al., Glycobiology **8** (1998) 663. HILIC of N-linked glucose-capped oligosaccharides from hemoglobins of a deep-sea tube worm.
- H72) Ye et al., LCGC **19** (2001) 1076. **HILIC-CEC** of polar compounds (used PolySULF. A).
- H73) Garbis et al., Anal. Chem. **73** (2001) 5358. Measurement of **folates and methotrexate** in **human plasma** using **HILIC-MS/MS**.
- H74) Cascio et al., EMBO J. **21** (2002) 2636. **26S Proteasome** studies: SEC of small peptides.
- H75) Byrne et al., Bioconj. Chem. **13** (2002) 571. Analysis by HILIC on PolyGLYCOPLEX of an **a-galactosyl oligosaccharide** used as an immune response blocker in **xenotransplantation**.
- H76) Strömqvist, J. Chromatogr. A, **667** (1994) 304. SEC-RPC of a tryptic digest of superoxide dismutase.
- H77) Curren & King, J. Chromatogr. A, **954** (2002) 41. HILIC analysis and SPE extraction of avoparcin from kidney extracts.
- H78) Vanderlaan et al., J. Chromatogr. A, **711** (1995) 23. SEC to isolate neural acetylcholinesterase (280 KDa) for online assay.
- H79) Kett et al., Carboh. Res. **329** (2000) 169. Purification of sugar pyrazolone derivs.
- H80) Litowski & Hodges, J. Biol. Chem. **277** (2002) 37272. SCX/HILIC purification of peptides to eliminate acetylated serine impurities.
- H81) Fu et al., Electrophoresis **24** (2003) 2084. HILIC-CEC of peptides with PolySULFOETHYL A.
- H82) MacCoss et al., Proc. Natl. Acad. Sci. USA **99** (2002) 7900. HILIC-SCX-RPC capillaries for 3-D proteomics analysis of lens tissue proteins.
- H83) Moyer et al., Clin. Chem. **48** (2002) 1460. HILIC-MS/MS of nicotine and its metabolites in serum or urine.
- H84) Hartmann et al., J. Chromatogr. A, **1009** (2003) 61. RPC vs. HILIC-SCX for separation of subst. helical peptides.
- H85) Fahey et al., J. Chromatogr. A, **996** (2003) 85. Prep-scale purif. of glucosinolates from seeds.
- H86) Wu et al., Nat. Biotechnol. **21** (2003) 532. HILIC-SCX-RPC capillaries for 3-D proteomics analysis of membrane proteins.

Feb. 11, 2004

PAPERS ON PolyPROPYL-, -ETHYL, and -METHYL
Aspartamidetm

SUBJECT

- P1) Lachman et al., Meth. Enzymol. 116 (1985) 467. Purif. of **Interleukin-1** with PolyPROPYL A.
- P2) Alpert, J. Chromatogr. 359 (1986) 85. Prepn. and use of PolyPROPYL-, -ETHYL, and -METHYL A.
- P3) Wetlaufer and Koenigbauer, J. Chromatogr. 359 (1986) 55. Hydrophobic-Interact. Chromat. (HIC) of proteins using surfactants.
- P4) Yu and Glazer, J. Biol. Chem. 262 (1987) 17543. Purif. of **tyrosine kinase** from HL-60 cells.
- P5) Alpert, BioChromatography 2 (1987) 131. Peptide HPLC: HIC vs. RPC.
- P6) Alpert, J. Chromatogr. 444 (1988) 269. Peptide HPLC; HIC vs. RPC.
- P7) Benedek, J. Chromatogr. 458 (1988) 93. HIC of lactalbumin: Denaturation and retention vs. temp. and stationary phase.
- P8) Rosenstreich et al., J. Exp. Med. 168 (1988) 1767. Purif. of an **interleukin-1** inhibitor.
- P9) Wu et al., J. Chromatogr. 500 (1990) 595. Assay of recombinant **human growth hormone** with various columns.
- P10) Meyer et al., Biochem. J. 274 (1991) 409. Purif. of a new class (Theta) of glutathione transferases.
- P11) Retzios & Markland, Biochemistry 31 (1992) 4547. Purif. of fibrinolytic enzymes from rattlesnake venom.
- P12) Trikha et al., Thrombosis Res. 73 (1994) 39. Purif. of platelet aggregation inhibitors from snake venoms.
- P13) Loayza et al., J. Chromatogr. B 662 (1994) 227. Resoln. of isoforms of fibrinolytic enzyme from copperhead snake venom.
- P14) Welinder et al., Anal. Chem. 67 (1995) 39A. Systematic study of column variability in HPLC of **human growth hormone** derivative with PolyPROPYL A and other columns.
- P15) Retzios et al., Protein Exp. Purif. 1 (1990) 33. Purif. of fibrinolytic enzymes from copperhead snake venom.
- P16) Ellis et al., Blood Coag. Fibrinol. 4 (1993) 537. Isoln. of **fibrinolytic fragments** D-dimer, D₁ & E with PolyETHYL A.
- P17) Mikolajczyk et al., Bioconjugate Chem. 5 (1994) 636. Purif. of derivs. of β -lactamase and a murine **Fab'** antibody fragment.

- P18) Kumar et al., Cancer Res. 57 (1997) 3111. Sepn. of **prostate-specific antigen** from its pro- form after conversion by kallekrein.
- P19) Mikolajczyk et al., Urology 50 (1997) 710. Sepn. of **prostate-specific antigen** from several pro- forms and PSA-ACT complex.
- P20) Mikolajczyk et al., Eur. J. Biochem. 246 (1997) 440. Sepn. of **prostate-specific human kallekrein 2** from its pro- form.
- P21) Woodrum et al., Clin. Chem. 43 (1997) 1203. Purif. of **prostate-specific antigen** from seminal plasma for use in an immunoassay.
- P22) Mikolajczyk et al., Urology 55 (2000) 41. Isoln. of a clipped **PSA** variant (**BPSA**) correlated with benign prostate disease.
- P23) Mikolajczyk et al., Cancer Res. 60 (2000) 756. Correlation of **proPSA** with prostate cancer.
- P24) Wang et al., Eur. J. Biochem. 267 (2000) 4040. Antibodies to **BPSA** and **PSA** don't crossreact well.
- P25) Mikolajczyk et al., The Prostate 45 (2000) 271. Identification of **BPSA** in seminal plasma.
- P26) Somers et al., Structure 6 (1998) 1601. Purif. of GDP-fucose synthetase from *E. coli*.
- P27) Menon et al., J. Biol. Chem. 274 (1999) 26743. Purif. of GDP-fucose synthetase from *E. coli*.
- P28) Hunter et al., Mol. Biochem. Parasitol. 103 (1999) Purif. of recomb. SAG1 surface protein from *Toxoplasma gondii*.
- P29) Meyer et al., Biochem. J. 313 (1996) 223. Purif. of prostaglandin-H E-isomerase from the nematode *Ascaridia*.
- P30) Keith et al., Biotechnol. Appl. Biochem. 34 (2001) 5. Protein measurement in tears to determine their adhesion to contact lenses and vials.
- P31) Tanaka et al., Invest. Ophthalmol. Vis. Sci. 45 (2004) 245. Isoln. of a growth-promoting factor for retinal pigment epithelial cells via IEX-HIC-RPC.
- P32) Linton et al., Clin. Chem. 49 (2003) 253. Purif. of benign prostate-specific antigen (BPSA).

Feb. 11, 2004

PAPERS ON PolyWAX LP™

SUBJECT

W1) Alpert and Regnier, J. Chromatogr. 185 (1979) 375.

Preparation of the precursor of PolyWAX LP for anion-ex. HPLC of proteins.

W2) Baxter et al., J. Biol. Chem. 264 (1989) 11843.

Purif. of acid-labile subunit (ex human serum) from **insulin-like growth factor** binding complex.

W3) Ronk et al., Tech. Protein Chem. 5 (1994) 259.

Anion-exchange of proteins with packed capillaries.

W4) Baxter and Dai, Endocrinology 134 (1994) 848.

Purif. of acid-labile subunit (ex rat serum) from **insulin-like growth factor** binding complex.

W5) Schmerr et al., J. Chromatogr. A 802 (1998) 135.

Purif. and analysis of the **scrapie prion** protein (same ref. as H40).

W6) Azhayev & Antopolsky, Tetrahedron 57 (2001) 4977.

Analysis of phosphorothioate oligonucleotide analogs.

PAPERS ON PolySULFOETHYL Aspartamide™SUBJECT

- S1) Alpert and Andrews, J. Chromatogr. 443 (1988) 85. Description of **PolySULFOETHYL A** and SCX of peptides.
- S2) Crimmins et al., J. Chromatogr. 443 (1988) 63. SCX of peptides.
- S3) Andrews, Peptide Res. 1 (1988) 93. Ion-exchange HPLC of peptides.
- S4) Crimmins et al., Biochem. Biophys. Res. Commun. 156 (1988) 910. SCX analysis of deblocking of N-terminal pyroGlu- peptides.
- S5) Crimmins et al., Anal. Biochem. 176 (1989) 255. Peptide mapping of **V8 digests** by SCX.
- S6) Schlabach et al., Techniques in Protein Chem. 1 (Academic Press; 1989), 497. Peptide mapping of **ASP-N digest**.
- S7) Crimmins, Peptide Res. 2 (1989) 395. SCX of **disulfide-linked peptides**.
- S8) Kolbe et al., J. Chromatogr. 476 (1989) 99. Purif. of recombinant **p18 protein** from HIV-1 virus.
- S9) Andrews, Current Res. Protein Chem. (Academic Press; 1990) 95. Selective isolation of **disulfide-linked peptides** from tryptic digests.
- S10) Iadarola et al., J. Chromatogr. 512 (1990) 165. Albumin variant digests by CNBr, trypsin, and V8; SCX vs. RPC.
- S11) Sandy et al., J. Biol. Chem. 265 (1990) 21108. Isoln. of **disulfide-linked peptides** from aggregating cartilage proteoglycan.
- S12) Guarino and Phillips, Amer. Lab. 23 (1991) 68. SCX-HPLC of peptides as a prepar. adjunct to CZE.
- S13) Swiderek et al., Eur. J. Biochem. 190 (1990) 575. V8 digest of **Troponin T**; mapping sites of phosphorylation.
- S14) Alpert, HPLC of Peptides and Proteins (Mant & Hodges, eds.) (CRC Press; 1991) 187. IEX of peptides.
- S15) Crimmins, Techniques in Protein Chem. III (Academic Press; 1992) 171. SCX vs. CZE of synthetic peptides.
- S16) Zhu et al., J. Chromatogr. 548 (1991) 13. HILIC of peptides (same ref. as H2)
- S17) Zhu et al., J. Chromatogr. 594 (1992) 75. SCX-HILIC of peptides vs. RPC.
- S18) Przysiecki et al., Protein Expression Purif. 3 (1992) 185. Purif. of recombinant **antistasin** with a preproleader sequence (same ref. as H6).
- S19) Clogston et al., Anal. Biochem. 202 (1992) 375. Analysis of **rG-CSF isoforms**.
- S20) Schmeltzer et al., J. Neurochem. 59 (1992) 1675. Isoln. & anal. of **rh-Nerve Growth Factor**.

- S21) Hempel et al., Comp. Biochem. Physiol. **102B** (1992) 791. SCX of tryptic digest of human liver glutamic γ -Semialdehyde Dehydrogenase.
- S22) Churchill et al., Biochemistry **31** (1992) 3793. SCX of tryptic digest of rat liver D- γ -hydroxybutyrate dehydrogenase.
- S23) Moore et al., Proc. Natl. Acad. Sci. **90** (1993) 1354. Isoln. of **squalamine** (a steroidal antibiotic)
- S24) Kieliszewski et al., Plant Physiol. **98** (1992) 919. Purif. of hydroxyproline-rich glycoprotein from Douglas fir.
- S25) Kieliszewski et al., Plant Physiol. **99** (1992) 538. Purif. of His- rich, arabinogalactan protein from corn (maize).
- S26) Fong et al., Plant Physiol. **99** (1992) 548. Purif. of gymnosperm protein with serine- tetrahydroxyproline motif.
- S27) Longo et al., Cell Regulation **1** (1990) 189. Purif. of synthetic peptide fragments of **Nerve Growth Factor** which inhibit NGF.
- S28) Hisatsune et al., Biosci. Biotech. Biochem. **56** (1992) 1616. Purif. of a CNBr digest of casein.
- S29) Nichols, Molec. Cell. Neurosci. **3** (1992) 342. Isolation of *Drosophila* Drosulfakinin Neural Peptide gene product, DSK-1.
- S30) Nichols, J. Mol. Neurosci. **3** (1992) 213. Isolation of *Drosophila* neural peptides.
- S31) Tanasijevic et al., J. Biol. Chem. **268** (1993) 18157. Isoln. of phosphorylated fragments of **Insulin Receptor Substrate (IRS-1)**.
- S32) Dolmer and Sottrup-Jensen, FEBS Letters **315** (1993) 85. Isoln. of **disulfide-linked** peptides from human complement component C3b.
- S33) Gorman and Shiell, J. Chromatogr. **646** (1993) 193. Selective isoln. of **C-terminal** and **blocked N-terminal peptides** from viral proteins.
- S34) Dong et al., J. Biol. Chem. **269** (1994) 6753. Determination of **disulfide bonds** in **von Willebrand Factor** multimers.
- S35) Walker, Poster 272-T, Protein Society Symp. (7/94). Assay of **Growth Hormone-Releasing Factor** by mixed **SCX-HILIC**.
- S36) Crimmins, Meth. Mol. Biol. **36** (1994) 53. SCX in synthetic peptide analysis.
- S37) Hempel et al., Protein Sci. **3** (1994) 1074. Purif. of peptides for sequencing from digest of UDP-glucose dehydrogenase.
- S38) Crimmins et al., Anal. Biochem. **226** (1995) 355. Disulfide-linked peptides; SCX & MALDI-MS.
- S39) Fang et al., J. Chromatogr. A **729** (1996) 49. Effect of temperature on protein retention times in cation-exchange.

- S40) Fang *et al.*, J. Chromatogr. A **729** (1996) 67. Effect of temperature on protein bandwidth in cation-exchange.
- S41) Smith and Hanly, in Irvine and Williams (eds.), *Neuropeptide Protocols* (Methods in Molec. Biol. vol. 73), Humana Press Inc., Totowa, NJ, 1996, pg. 75. a) Protocol for SCX of peptides; b) Purif. of crude synthetic Calcitonin Gene-Related Peptide (8-37).
- S42) Joyal *et al.*, Biochemistry **35** (1996) 6267. Identification of phosphorylation sites in calmodulin.
- S43) Bendixen *et al.*, J. Biol. Chem. **270** (1995) 17929. Isoln. of plasminogen fragments covalently linked (?-Glu ? ?-Lys) by transglutaminase treatment.
- S44) Mant & Hodges, Meth. Enzymol. **271** (1996) 3. SCX of peptides: Hydrophilic & hydrophobic mixed-mode effects.
- S45) Yarus *et al.*, Proc. Natl. Acad. Sci. **93** (1996) 14118. Purif. of bovine **tracheal antimicrobial peptide** (a ?-defensin) from transgenic mouse milk.
- S46) Cole *et al.*, J. Biol. Chem. **272** (1997) 12008. Isoln. of **pleurocidin**, an antimicrobial peptide from flounder skin.
- S47) Crimmins, Anal. Chim. Acta **352** (1997) 21. SCX-HPLC as a tool for characterization and purif. of peptides.
- S48) Link *et al.*, Nature Biotechnol. **17** (1999) 676. **Proteome analysis:** SCX-RPC capillaries for direct **MS/MS** analysis of protein complexes.
- S49) Tseng *et al.*, J. Biol. Chem. **271** (1996) 23992. Purif. of human type II **phospholipase A2** from CHO cells (SCX-RPC sequence) .
- S50) John *et al.*, Proc. Natl. Acad. Sci. **94** (1997) 10178. Isoln. via SEC-SCX-RPC of a 17-residue peptide mediating glycolipid-induced tobacco protoplast proliferation *in vitro*.
- S51) Louie and Meade, Proc. Natl. Acad. Sci. **95** (1998) Purif. of cobalt complexes of **zinc finger** peptides.
- S52) Giblin *et al.*, Proc. Natl. Acad. Sci. **95** (1998) 12814. Purif. of complex of **rhenium** with ? -**MSH**.
- S53) Hekman *et al.*, Pharm. Res. **15** (1998) 650. Isoln. and ident. of degradation products of **pramlintide** (an amylin analog).
- S54) Hekman *et al.*, J. Pharm. Biomed. Anal. **20** (1999) 763. Isoln. and ident. of **cyclic imide** and **deamidation** products of **pramlintide**.

- S55) Ayad *et al.*, J. Dental Res. **79** (2000) 976. Isolation of 19 basic, proline-rich peptides from human saliva; relationship to dental decay.
- S56) Gygi *et al.*, Proc. Natl. Acad. Sci. **97** (2000) 9390. **Proteomics tools:** Analysis of 2-D gel spots of yeast proteins using a trypsin-SCX-RPC-MS/MS sequence.
- S57) Davis *et al.*, Poster 196, 48th ASMS Conference (June 2000) **Proteomics** analyses using a SCX-RPC-MS/MS setup.
- S58) Gygi *et al.*, Curr. Opin. Biotechnol. **11** (2000) 396. Review of **ICAT** and **proteomics**.
- S59) Adermann *et al.*, Protein Sci. **8** (1999) 810. Isolation from human urine of SLURP-1, a member of the Ly-6/uPAR protein superfamily.
- S60) Blitvich *et al.*, Virus Res. **60** (1999) 67. Selective isolation of C-terminal tryptic peptides from flavivirus NS1 protein.
- S61) Goodrum *et al.*, Phytochem. **54** (2000) 99. Purification of chymotryptic peptides of gum arabic glycoprotein via a SCX-RPC sequence.
- S62) Yoshida *et al.*, Brain Res. **894** (2001) 46. Purification of recombinant **midkine** neurotrophic factor.
- S63) Pearce *et al.*, Proc. Natl. Acad. Sci. USA **98** (2001) 12843. Isolation from tobacco of **RALF**, a polypeptide hormone that arrests root growth & development.
- S64) Verma *et al.*, Mol. Biol. Cell **11** (2000) 3425. **Proteomics:** SCX-RPC for identification of **proteasomal** proteins.
- S65) Davis *et al.*, J. Chromatogr. B. **752** (2001) 281. **Proteomics:** Assessment of SCX-RPC-MS/MS for proteomics analyses.
- S66) Griffin *et al.*, Anal. Chem. **73** (2001) 978. **Proteomics:** Identification of ICAT-labelled yeast proteins via ICAT labelling and SCX (offline)-RPC-MALDI QTOF MS.
- S67) Ideker *et al.*, Science **292** (2001) 929. **Proteomics:** Comparison of yeast protein and mRNA content changes (ICAT used).
- S68) Koc *et al.*, J. Biol. Chem. **276** (2001) 43958. **Proteomics** identification of proteins in the large subunit of bovine mitochondrial ribosome (ICAT used).
- S69) Peng and Gygi, J. Mass Spectrom. **36** (2001) 1083. **Proteomics:** A tutorial.
- S70) Gygi *et al.*, J. Proteome Res. **1** (2002) 47. **Proteomics** of low-abundance proteins: Assessment of reproducibility and sensitivity using SCX-RPC-MS/MS and ICAT.
- S71) Demond *et al.*, AAPS PharmSciTech **1** (2000) article 6 (online journal). Analysis of pramlintide by SCX and RPC.
- S72) Fayad *et al.*, Appl. Microbiol. Biotechnol. **57** (2001) 117. Purification of a α -1,6-glucanase from *Streptomyces* sp. EF-14.

- S73) Lin *et al.*, Amer. Genomic/Proteomic Technol. **1** (2001) 38. **MuDPIT** and other approaches to **proteomics of complex mixtures**.
- S74) Han *et al.*, Nat. Biotechnol. **19** (2001) 946. **Proteomics of microsomal proteins** via ICAT.
- S75) Lee *et al.*, Anal. Chem. **74** (2002) 4353. Multiplexed capillaries for fast proteomics throughput.
- S76) Adkins *et al.*, Mol. Cell Proteomics **1** (2002) 947. Proteomics of **human plasma**; identification of 490 proteins.
- S77) Litowski and Hodges, J. Biol. Chem. **277** (2002) 37272. Effect of residue substitution on structure of heterodimeric two-stranded α -helical coils.
- S78) Ostrowski *et al.*, Mol. Cell Proteomics **1** (2002) 451. Proteomic analysis of human cilia.
- S79) Arnott *et al.*, Mol. Cell Proteomics **1** (2002) 148. Selective ICAT labeling and detection of membrane proteins without antibodies.
- S80) Jakubowski, J. Biol. Chem. **277** (2002) 30425. Isoln. of homocysteine thiolactone from acid hydrolyzates of human plasma proteins.
- S81) Yvon *et al.*, FEBS Lett. **247** (1989) 273. Isoln. of tryptic fragments of HSA with benzyl penicilloyl- groups attached.
- S82) Raybould & Reeve, Peptides **17** (1996) 1307. RPC-SCX purif. of CCK-58.
- S83) Blitvich *et al.*, J. Gen. Virol. **82** (2001) 2251. Isoln. of the **disulfide-linked** tryptic fragment from NS1 protein from Murray Valley encephalitis virus via RPC-SCX.
- S84) Baek *et al.*, Circulation **105** (2002) 2779. Use of a PolySULFOETHYL A cartridge to clean up a radioactive lys-lys derivative.
- S85) Röhrig *et al.*, Proc. Natl. Acad. Sci. USA **99** (2002) 1915. Purif. of two peptides from soybean that regulate sucrose synthase.
- S86) Overgaard *et al.*, J. Biol. Chem. **278** (2003) 2106. Selective isoln. of **disulfide-linked** peptides from CNBr-tryptic digest of the complex of pregnancy-associated plasma protein-A and eosinophil major basic protein.
- S87) Griffin *et al.*, Mol. Cell. Proteomics **1** (2002) 323. **Proteomics** of yeast – number of proteins identified and quantified: A) RPC only: 34. B) SCX-RPC: 245. ? **SCX-RPC is better**.
- S88) Adkins *et al.*, Mol. Cell. Proteomics **1** (2002) 947. **Proteomics** of human serum: 490 proteins identified via SCX-RPC-MS.
- S89) Peng *et al.*, J. Proteome Res. **2** (2003) 43. **Proteomics** of yeast via SCX-RPC: ID of 7537 peptides from 1504 proteins.

- S90) Froehlich et al., J. Proteome Res. 2 (2003) 413. **Proteomics** of *Arabidopsis thaliana* chloroplast membranes: ID of 392 proteins via offline SCX-RPC-MS.
- S91) Guina et al., J. Am. Soc. Mass Spectrom. 14 (2003) 742. **Proteomics** via ICAT of *P. aeruginosa* grown under magnesium limitation: ID of 1331 proteins, 145 related to Mg²⁺ limitation.
- S92) Le Bihan et al., J. Am. Soc. Mass Spectrom. 14 (2003) 719. Systematic exploration of variables in the SCX step of SCX-RPC-MS for peptides.
- S93) Peng et al., Nat. Biotechnol. 21 (2003) 921. **Proteomics** of ubiquitination in yeast: ID of 1,075 proteins with 110 ubiquitination sites.
- S94) Tirumalai et al., Mol. Cell Proteomics 2 (2003) 1096. **Proteomics** of the low mol. wt. components of serum: > 340 proteins identified.
- S95) Vollmer et al., J. Biomol. Tech. 14 (2003) 128. **Proteomics** of *E. coli* grown on different carbon sources.
- S96) Cutillas et al., Clin. Sci. 104 (2003) 483. ID via SCX-RPC-MS of > 100 peptides in desalted urine samples.
- S97) Jakubowski & Guranowski, J. Biol. Chem. 278 (2003) 6765. Analysis of homocysteine thiolactone from plant extracts.
- S98) Da Cruz et al., J. Biol. Chem. 278 (2003) 41566. **Proteomics** of mouse liver mitochondrial inner membrane; ID of 182 proteins.
- S99) Iijima et al., Eur. J. Biochem. 270 (2003) 675. Purif. of three isoforms of chrysopsin, an **antimicrobial** peptide from gills of the red sea bream fish.
- S100) Pearce & Ryan, J. Biol. Chem. 278 (2003) 30044. Purif. of wound signal peptides from tomato leaves via RPC-RPC-SCX-RPC-RPC.
- S101) Argirov et al., Biochim. Biophys. Acta 1620 (2003) 235. Isoln. from calf lens protein of a pyridinium deriv. of lysine (an **advanced glycation endproduct**).
- S102) Argirov et al., J. Biol. Chem. Nov. 21, 2003 (online). Same pyridinium deriv. of lysine as S101.
- S103) Ösapay et al., J. Biol. Chem. 275 (2000) 12017. Isoln. of indolicidin with a Trp-Trp crosslink.
- S104) Corbin et al., Proc. Natl. Acad. Sci. USA 100 (2003) 9232. **Proteome** vs. the **transcriptome** of *E. coli*; 1,147 proteins identified.
- S105) Barroso et al., J. Proteome Res. 2 (2003) 633. Evaluation of a capillary RPC monolith in the SCX-RPC sequence for proteomics.
- S106) Schmidt et al., Mol. Cell. Proteomics 3 (2004) 24. *M. tuberculosis* proteome; 2-D electrophoresis vs. ICAT with SCX-RPC.

S107) Qiu *et al.*, *Anal. Chem.*, 74 (2002) 4969.

Simultaneous isoln. and labelling of Cys-containing peptides from a tryptic digest via covalent chromatography with subsequent SCX-RPC fractionation.